


| REVISIONS | | | |
|-----------|-------------|------------|----|
| REV. | DESCRIPTION | DATE D/M/Y | BY |
| 00 | Original | 27/05/02 | TE |


Max. depth 100-150m
 Overall Mooring Scope: 1.27-1.4:1
 Upper Mooring Scope: 1.8:1

| Item | Axys Part Number |
|------|---|
| 1 | 51308006 Shackle, Eye & Eye Swivel, 1/2", SS316 |
| 2 | 024160199 Mooring, 15m, Compliant Section |
| 3 | 51707002 Wire Rope, Plastic Coated, 1/4 to 5/16, 60m |
| 4 | 51706005 Rope, Mono-12, 1/2" |
| 5a | 024580199 Schakle, D, 1/2", SS316 |
| 5b | 024580199 Schakle, D, 1/2", Galv. |
| 6 | 51211003 2x14" Subsurface Float |
| 7 | 51308005 Swivel, Eye to Eye, 1/2" Galvanized |
| 8 | 51707002 Wire Rope, Plastic Coated, 1/4 to 5/16, adjust length to Water Depth-50m |
| 9 | 51708002 Chain, 1/2", Galvanized |
| 10 | Anchor ~400 kgs (heavy chain) |



When printed, make sure you are using the most current revision of this document.

This document in its entirety contains proprietary information that shall not be disclosed to any third parties without obtaining prior permission from Axys Group Ltd. The bearer of this document shall take suitable precautions to prevent the disclosure of any information contained in this document to any parties that do not have the permission to receive that information.

| | | | |
|--|-----------------------|---|-------------------------------|
| DESIGNER A. Ethier | QA | This drawing is controlled through Q-PULSE | TEMPLATE # QT-04-04-00.dwg |
| DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED. LINEAR TOLERANCES ARE: X ±0.1 X.X ±0.03 X.XX ±0.01 X.XXX ±0.003 ANGULAR TOLERANCES ARE: X.X ±0.1 X.XX ±0.05 | |  AXYS TECHNOLOGIES INC. P.O. BOX 2219, 2045 MILLS RD. SIDNEY, B.C., CANADA V8L 3S8 (250)655-5850 Fax: (250)655-5856 | |
| MATERIAL | | TRIAxYS, Mooring | |
| FINISH | | 100-150 m Deployment Depth | |
| SCALE NTS | DRAWN BY A. Ethier | DATE 27/05/02 | |
| ACAD FILE ..\\CONTROLLED DOCUMENTS\\ 02971\\0297100S.dwg | ASSEMBLY DWG | SIZE A | DRAWING NUMBER 02971 |
| | | REV 00 | |